

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
300	465	295	380	1485	1655	1570
400	515	325	450	1435	1625	1500
500	620	500	530	1330	1450	1420
600	655	540	600	1295	1410	1350
700	690	560	650	1260	1390	1300
800	770	675	715	1180	1275	1235
900	915	740	830	1035	1210	1120
1000	970	795	905	980	1155	1045
1100	1065	935	1010	885	1015	940
1200	1240	1010	1125	710	940	825
1300	1295	1180	1235	655	770	715
1400	1355	1280	1315	595	670	635
1500	1520	1310	1390	430	640	560
1600	1555	1410	1480	395	540	470
1700	1700	1540	1610	250	410	340
1800	1820	1620	1730	130	330	220
1900	1925	1735	1845	25	215	105
2000	2035	1875	1950	-85	75	1
2100	2150	1995	2070	-200	-45	-125
2200	2315	2140	2225	-370	-190	-280
2300	2360	2180	2310	-410	-230	-360
2400	2680	2345	2440	-735	-395	-495
2500	2740	2485	2595	-790	-535	-645
2600	2775	2710	2740	-830	-760	-790
2700	2855	2755	2805	-905	-805	-855
2800	2980	2795	2900	-1030	-845	-950
2900	3160	2950	3035	-1210	-1000	-1090
3000	3330	3075	3185	-1380	-1125	-1235
3100	3380	3230	3305	-1435	-1280	-1360
3200	3475	3365	3420	-1530	-1415	-1470
3300	3595	3450	3525	-1645	-1500	-1575
3400	3720	3570	3650	-1770	-1620	-1700
3500	3855	3690	3770	-1910	-1740	-1820
3600	3980	3835	3910	-2035	-1885	-1960
3700	4150	3930	4040	-2200	-1980	-2090
3800	4290	4085	4185	-2340	-2135	-2235
3900	4420	4245	4335	-2470	-2295	-2390
4000	4530	4415	4475	-2580	-2465	-2525
4100	4815	4450	4640	-2865	-2500	-2690
4200	4845	4625	4740	-2895	-2675	-2790
4300	4960	4825	4865	-3015	-2880	-2920
4400	5215	4865	4970	-3265	-2915	-3020
4500	5300	5045	5165	-3350	-3095	-3215
4600	5450	5085	5350	-3505	-3135	-3400
4700	5580	5320	5425	-3630	-3370	-3475
4800	5600	5470	5525	-3650	-3520	-3575
4900	5710	5585	5630	-3765	-3635	-3680

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
5000	5890	5650	5740	-3940	-3700	-3790
5100	5920	5745	5830	-3970	-3800	-3880
5200	6000	5910	5955	-4050	-3960	-4010
5300	6185	5990	6085	-4240	-4040	-4135
5400	6290	6120	6220	-4340	-4170	-4275
5500	6400	6215	6300	-4450	-4265	-4355
5600	6440	6305	6370	-4490	-4355	-4420
5700	6600	6405	6485	-4650	-4455	-4535
5800	6670	6500	6600	-4725	-4550	-4650
5900	6790	6660	6720	-4840	-4710	-4770
6000	6930	6745	6840	-4985	-4800	-4890
6100	7160	6880	6980	-5210	-4930	-5030
6200	7240	7000	7095	-5290	-5050	-5145
6300	7280	7160	7225	-5330	-5215	-5275
6400	7420	7270	7340	-5470	-5320	-5395
6500	7475	7325	7405	-5525	-5375	-5460
6600	7565	7430	7495	-5620	-5480	-5550
6700	7620	7505	7565	-5670	-5555	-5615
6800	7680	7585	7640	-5735	-5640	-5690
6900	7795	7665	7730	-5850	-5715	-5780
7000	7935	7755	7845	-5985	-5805	-5895
7100	7985	7850	7925	-6035	-5905	-5975
7200	8155	7950	8010	-6205	-6000	-6060
7300	8175	8025	8105	-6230	-6075	-6155
7400	8325	8170	8245	-6375	-6220	-6295
7500	8390	8205	8325	-6440	-6255	-6375
7600	8440	8360	8400	-6495	-6415	-6450
7700	8545	8415	8485	-6600	-6465	-6535
7800	8640	8480	8575	-6690	-6530	-6625
7900	8975	8595	8715	-7025	-6645	-6765
8000	9010	8760	8880	-7060	-6810	-6930
8100	9125	8990	9040	-7175	-7040	-7090
8200	9270	9030	9155	-7320	-7080	-7210
8300	9435	9140	9325	-7485	-7195	-7375
8400	9495	9310	9435	-7550	-7360	-7485
8500	9535	9475	9505	-7590	-7525	-7555
8600	9625	9520	9555	-7680	-7570	-7605
8700	9735	9545	9635	-7790	-7600	-7690
8800	10120	9685	9830	-8170	-7735	-7880
8900	10175	9910	10040	-8225	-7960	-8090
9000	10240	9975	10190	-8290	-8025	-8245
9100	10295	10200	10245	-8345	-8250	-8295
9200	10490	10250	10355	-8540	-8300	-8405
9300	10585	10405	10500	-8635	-8455	-8550
9400	10715	10555	10630	-8770	-8605	-8680
9500	11070	10660	10815	-9120	-8710	-8870
9600	11130	10770	10940	-9180	-8820	-8990

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
9700	11210	10895	11140	-9265	-8945	-9195
9800	11250	11190	11220	-9300	-9240	-9270
9900	11390	11235	11290	-9440	-9285	-9340
10000	11695	11305	11475	-9745	-9355	-9525
10100	11970	11405	11700	-10020	-9455	-9755
10200	12050	11760	11905	-10100	-9815	-9960
10300	12375	11945	12085	-10430	-9995	-10135
10400	12415	12095	12265	-10465	-10145	-10320
10500	12560	12395	12475	-10610	-10445	-10525
10600	12685	12440	12595	-10735	-10495	-10645
10700	12725	12590	12665	-10775	-10640	-10715
10800	12750	12680	12710	-10800	-10730	-10765
10900	12815	12705	12755	-10865	-10755	-10810
11000	12985	12740	12855	-11035	-10790	-10905
11100	13075	12840	12975	-11125	-10890	-11025
11200	13130	13015	13075	-11180	-11065	-11125
11300	13225	13070	13145	-11280	-11120	-11195
11400	13310	13145	13235	-11360	-11200	-11285
11500	13425	13270	13350	-11480	-11325	-11400
11600	13535	13320	13435	-11585	-11375	-11485
11700	13580	13450	13515	-11630	-11505	-11565
11800	13745	13490	13640	-11800	-11540	-11690
11900	13785	13580	13705	-11835	-11630	-11760
12000	13980	13745	13850	-12030	-11795	-11905
12100	14105	13815	13960	-12155	-11865	-12010
12200	14205	13980	14090	-12260	-12030	-12145
12300	14460	14070	14235	-12510	-12125	-12285
12400	14750	14185	14465	-12800	-12235	-12515
12500	15055	14400	14740	-13105	-12450	-12790
12600	15145	14750	14965	-13195	-12800	-13015
12700	15280	14970	15130	-13330	-13020	-13180
12800	15395	15110	15250	-13450	-13160	-13300
12900	15595	15235	15405	-13645	-13285	-13455
13000	15740	15335	15550	-13795	-13390	-13600
13100	15925	15540	15725	-13980	-13590	-13775
13200	16030	15710	15870	-14080	-13765	-13920
13300	16160	15815	15990	-14210	-13865	-14045
13400	16275	15960	16125	-14325	-14010	-14175
13500	16435	16075	16255	-14485	-14125	-14305
13600	16580	16210	16390	-14630	-14260	-14440
13700	16760	16325	16530	-14810	-14375	-14580
13800	16915	16475	16695	-14970	-14525	-14745
13900	17025	16620	16840	-15080	-14670	-14890
14000	17180	16780	16995	-15235	-14830	-15050
14100	17370	16980	17155	-15420	-15030	-15210
14200	17465	17120	17295	-15515	-15170	-15345
14300	17585	17245	17425	-15640	-15295	-15475

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
14400	17705	17380	17550	-15760	-15430	-15600
14500	17870	17515	17680	-15920	-15565	-15730
14600	17950	17630	17785	-16000	-15680	-15835
14700	18035	17735	17890	-16085	-15785	-15945
14800	18145	17850	18000	-16195	-15905	-16050
14900	18270	17940	18105	-16320	-15995	-16155
15000	18375	18055	18220	-16425	-16105	-16275
15100	18500	18190	18355	-16550	-16240	-16405
15200	18595	18340	18470	-16650	-16395	-16520
15300	18700	18460	18580	-16755	-16515	-16630
15400	18775	18565	18670	-16825	-16620	-16725
15500	18860	18650	18760	-16910	-16700	-16810
15600	18940	18750	18845	-16990	-16800	-16895
15700	19050	18835	18935	-17100	-16885	-16985
15800	19180	18920	19045	-17230	-16970	-17095
15900	19335	19005	19165	-17385	-17055	-17215
16000	19495	19160	19320	-17545	-17210	-17370
16100	19585	19265	19435	-17635	-17315	-17485
16200	19720	19420	19560	-17770	-17470	-17610
16300	19865	19520	19680	-17920	-17570	-17730
16400	19980	19605	19790	-18030	-17660	-17840
16500	20080	19715	19910	-18135	-17765	-17960
16600	20190	19860	20025	-18240	-17910	-18080
16700	20320	19975	20140	-18370	-18025	-18195
16800	20440	20080	20260	-18495	-18130	-18310
16900	20545	20205	20385	-18600	-18255	-18435
17000	20655	20340	20505	-18705	-18390	-18555
17100	20780	20475	20625	-18830	-18525	-18675
17200	20915	20585	20745	-18965	-18635	-18795
17300	21040	20685	20865	-19090	-18740	-18915
17400	21190	20815	20995	-19240	-18870	-19045
17500	21330	20935	21130	-19380	-18985	-19185
17600	21475	21050	21270	-19530	-19100	-19320
17700	21635	21210	21425	-19690	-19265	-19475
17800	21770	21380	21570	-19820	-19435	-19620
17900	21870	21515	21695	-19920	-19565	-19750
18000	21965	21615	21805	-20020	-19665	-19855
18100	22130	21780	21930	-20180	-19830	-19985
18200	22240	21870	22055	-20290	-19920	-20105
18300	22355	21955	22170	-20405	-20005	-20220
18400	22455	22115	22295	-20505	-20165	-20350
18500	22500	22290	22395	-20550	-20340	-20445
18600	22575	22360	22465	-20630	-20410	-20515
18700	22690	22410	22545	-20740	-20460	-20595
18800	22840	22470	22645	-20895	-20520	-20700
18900	22955	22555	22755	-21005	-20605	-20810
19000	23075	22665	22880	-21125	-20715	-20930

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP		cal BC/AD			
	2σ範囲	平均値	2σ範囲	平均値		
19100	23245	22805	23010	-21295	-20855	-21060
19200	23385	22920	23140	-21440	-20970	-21190
19300	23475	23020	23245	-21530	-21070	-21295
19400	23575	23110	23355	-21625	-21160	-21410
19500	23695	23260	23490	-21745	-21310	-21540
19600	23825	23400	23610	-21880	-21450	-21665
19700	23945	23525	23730	-21995	-21575	-21780
19800	24035	23640	23840	-22090	-21690	-21890
19900	24140	23765	23950	-22190	-21815	-22005
20000	24245	23875	24060	-22295	-21925	-22110
20100	24345	23975	24160	-22400	-22025	-22215
20200	24455	24075	24265	-22510	-22125	-22315
20300	24545	24190	24370	-22600	-22240	-22425
20400	24765	24285	24490	-22815	-22335	-22545
20500	24935	24420	24660	-22985	-22470	-22715
20600	25070	24515	24800	-23125	-22570	-22850
20700	25230	24635	24965	-23280	-22685	-23015
20800	25335	24915	25120	-23385	-22965	-23175
20900	25435	25060	25245	-23485	-23110	-23295
21000	25535	25165	25355	-23585	-23215	-23405
21100	25620	25250	25445	-23675	-23300	-23495
21200	25720	25350	25550	-23770	-23400	-23600
21300	25800	25505	25655	-23855	-23555	-23705
21400	25870	25600	25735	-23925	-23650	-23785
21500	25940	25680	25810	-23990	-23730	-23860
21600	26010	25760	25885	-24060	-23815	-23935
21700	26070	25830	25950	-24125	-23880	-24000
21800	26135	25890	26015	-24190	-23940	-24065
21900	26245	25940	26090	-24300	-23990	-24140
22000	26390	26015	26190	-24445	-24065	-24240
22100	26515	26095	26295	-24570	-24150	-24350
22200	26630	26185	26405	-24680	-24235	-24455
22300	26795	26270	26540	-24850	-24325	-24590
22400	27010	26440	26705	-25060	-24495	-24755
22500	27095	26545	26825	-25145	-24600	-24875
22600	27200	26635	26935	-25250	-24685	-24985
22700	27320	26795	27080	-25375	-24845	-25130
22800	27375	27005	27190	-25425	-25055	-25240
22900	27435	27085	27265	-25485	-25135	-25315
23000	27500	27160	27335	-25550	-25210	-25385
23100	27565	27240	27405	-25620	-25295	-25460
23200	27635	27320	27475	-25685	-25375	-25530
23300	27695	27385	27540	-25745	-25435	-25590
23400	27750	27445	27600	-25800	-25495	-25650
23500	27805	27510	27660	-25855	-25565	-25710
23600	27855	27585	27720	-25905	-25635	-25770
23700	27910	27640	27775	-25960	-25695	-25825

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
23800	27980	27695	27835	-26030	-25745	-25890
23900	28075	27740	27910	-26130	-25790	-25960
24000	28215	27800	28005	-26270	-25850	-26055
24100	28370	27890	28120	-26425	-25940	-26170
24200	28490	28000	28240	-26540	-26055	-26290
24300	28590	28130	28360	-26645	-26180	-26410
24400	28675	28265	28470	-26730	-26315	-26520
24500	28740	28370	28555	-26790	-26420	-26605
24600	28810	28450	28635	-26860	-26505	-26690
24700	28890	28540	28720	-26945	-26590	-26770
24800	28990	28625	28810	-27040	-26675	-26860
24900	29115	28695	28905	-27165	-26745	-26955
25000	29280	28790	29025	-27330	-26840	-27075
25100	29400	28910	29145	-27450	-26965	-27195
25200	29490	29020	29255	-27540	-27070	-27305
25300	29585	29130	29365	-27635	-27185	-27415
25400	29700	29250	29475	-27750	-27300	-27525
25500	29815	29350	29585	-27870	-27400	-27635
25600	30015	29430	29705	-28070	-27480	-27755
25700	30205	29545	29855	-28255	-27595	-27910
25800	30330	29680	30005	-28380	-27730	-28055
25900	30475	29785	30145	-28525	-27835	-28195
26000	30635	29930	30315	-28685	-27980	-28365
26100	30735	30205	30460	-28785	-28255	-28510
26200	30795	30320	30560	-28845	-28370	-28615
26300	30870	30435	30655	-28920	-28485	-28705
26400	30930	30545	30735	-28980	-28600	-28785
26500	30975	30625	30800	-29025	-28675	-28850
26600	31020	30685	30855	-29070	-28735	-28905
26700	31065	30735	30905	-29120	-28790	-28955
26800	31115	30785	30955	-29165	-28840	-29005
26900	31160	30835	31005	-29215	-28890	-29055
27000	31205	30885	31050	-29260	-28940	-29105
27100	31255	30940	31100	-29305	-28995	-29150
27200	31300	30995	31145	-29350	-29045	-29200
27300	31345	31040	31195	-29395	-29095	-29245
27400	31395	31090	31245	-29450	-29140	-29295
27500	31455	31135	31295	-29505	-29185	-29345
27600	31510	31180	31350	-29565	-29235	-29400
27700	31585	31235	31410	-29635	-29285	-29465
27800	31680	31290	31485	-29735	-29340	-29535
27900	31805	31360	31570	-29860	-29415	-29625
28000	31930	31435	31670	-29980	-29490	-29725
28100	32155	31500	31805	-30210	-29550	-29855
28200	32415	31615	31985	-30470	-29665	-30035
28300	32570	31750	32155	-30620	-29805	-30210
28400	32725	31890	32325	-30775	-29940	-30375

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
28500	32875	32105	32520	-30930	-30155	-30570
28600	32980	32365	32690	-31035	-30420	-30740
28700	33130	32525	32830	-31180	-30575	-30885
28800	33280	32695	32980	-31335	-30745	-31030
28900	33400	32835	33115	-31450	-30885	-31165
29000	33510	32945	33235	-31560	-30995	-31290
29100	33615	33075	33360	-31665	-31125	-31410
29200	33705	33220	33475	-31755	-31270	-31525
29300	33770	33370	33570	-31820	-31425	-31620
29400	33835	33465	33650	-31885	-31515	-31700
29500	33895	33540	33715	-31945	-31590	-31770
29600	33960	33605	33780	-32010	-31655	-31835
29700	34030	33665	33845	-32080	-31715	-31895
29800	34095	33725	33910	-32150	-31780	-31960
29900	34165	33785	33975	-32215	-31840	-32030
30000	34245	33845	34045	-32295	-31900	-32100
30100	34340	33910	34125	-32390	-31965	-32175
30200	34445	33985	34210	-32495	-32035	-32260
30300	34540	34060	34300	-32595	-32110	-32350
30400	34625	34140	34390	-32680	-32190	-32440
30500	34710	34230	34475	-32760	-32280	-32525
30600	34785	34320	34560	-32835	-32375	-32610
30700	34860	34440	34645	-32910	-32490	-32695
30800	34920	34535	34725	-32970	-32585	-32775
30900	34990	34600	34795	-33045	-32650	-32845
31000	35070	34660	34870	-33125	-32715	-32920
31100	35170	34725	34950	-33220	-32775	-33000
31200	35295	34795	35045	-33345	-32845	-33095
31300	35425	34890	35150	-33475	-32940	-33205
31400	35535	34995	35260	-33585	-33050	-33310
31500	35630	35105	35370	-33685	-33155	-33420
31600	35745	35205	35480	-33795	-33255	-33530
31700	35875	35325	35595	-33925	-33375	-33650
31800	35985	35455	35710	-34040	-33505	-33760
31900	36070	35560	35815	-34125	-33610	-33865
32000	36155	35660	35915	-34210	-33710	-33965
32100	36235	35755	36010	-34290	-33810	-34060
32200	36315	35860	36105	-34370	-33910	-34155
32300	36400	35975	36195	-34450	-34025	-34245
32400	36480	36075	36280	-34530	-34130	-34330
32500	36590	36160	36370	-34640	-34210	-34420
32600	36710	36245	36465	-34760	-34295	-34520
32700	36840	36325	36570	-34895	-34375	-34620
32800	37005	36390	36690	-35055	-34440	-34745
32900	37325	36490	36850	-35380	-34540	-34900
33000	37510	36625	37035	-35565	-34675	-35085
33100	37685	36770	37205	-35735	-34820	-35260

較正年代早見表(Intcal13による) 一般的な誤差の30年で全て計算。目安としてご使用ください。(工藤雄一郎作成)2017/11/30

¹⁴ C BP ±30	cal BP			cal BC/AD		
	2σ範囲		平均値	2σ範囲		平均値
33200	37875	36895	37390	-35930	-34945	-35440
33300	38095	37050	37595	-36145	-35100	-35645
33400	38265	37285	37800	-36320	-35335	-35855
33500	38375	37535	37980	-36425	-35585	-36030
33600	38440	37755	38120	-36495	-35805	-36170
33700	38515	37915	38245	-36565	-35965	-36295
33800	38595	38100	38360	-36645	-36150	-36410
33900	38650	38240	38445	-36700	-36295	-36495
34000	38715	38320	38520	-36765	-36375	-36570
34100	38790	38385	38590	-36845	-36440	-36640
34200	38875	38450	38665	-36930	-36505	-36715
34300	38975	38520	38745	-37025	-36570	-36800
34400	39085	38595	38840	-37135	-36645	-36890
34500	39230	38665	38945	-37280	-36715	-36995
34600	39400	38765	39065	-37450	-36815	-37120
34700	39525	38875	39190	-37575	-36930	-37240
34800	39640	38995	39310	-37695	-37045	-37360
34900	39755	39120	39435	-37805	-37170	-37485
35000	39855	39250	39555	-37910	-37300	-37605